

Category	Description
<a href="#">71 200</a>	Dormitory and Quarters Packaged Rooms
<a href="#">711 91</a>	Project Management (Furniture Related) - Management support services for the design, installation and reconfiguration of office furniture. Services cover those required to coordinate and monitor furniture design and installation phases of new furniture installations to ensure a smooth project completion. This SIN can only be used in conjunction with acquisition of furniture under this schedule. (If furniture related services only are required see FSS 71, Part II, Section K "Comprehensive Furniture Management Services". Office relocation services are available under Schedule 48, SIN 653-8 "Office Relocation".
<a href="#">489 103</a>	INTERIOR COMPONENTS - For use in cabinets meeting federal specification AA-F-363, Classes 5 and 6 cabinets. Examples of acceptable items include Plan hold rack & assembly; Vertical posts (Set of 4); Shelf; Security locker, Shallow drawer (4" to 5" high); Regular drawer (10-1/2" to 12" high); 3" X 5" Cross tray insert; 3-1/4" X 7-3/8" Cross tray insert; 4" X 6" Cross tray insert; 5" X 8" Cross tray insert; drawers; double row drawer insert; triple row drawer insert; microfilm drawer insert; tape canister drawer insert; tape seal drawer insert; pistol rack insert; center drawer insert, quarter drawer insert, drawer liner; pull-out weapons cart w/storage drawers; caster base
<a href="#">489 154</a>	VAULT DOOR ACCESSORIES - For use with vault doors meeting federal specification AA-D-600 vault doors. Examples of acceptable items include day gate, base plate, and key locker
<a href="#">489 157</a>	Utility locker - Gray, UL group IR combination lock. 1/4" steel door, 1/8" steel body. Overall dimensions: 8 3/16"W x 12 1/8"L x 8 1/4"D.
<a href="#">489 158</a>	Key rack - Fits inside utility locker, holds 42 keys. Has six panels with seven keys per panel.
<a href="#">489 159</a>	Wall key cabinet - Holds 125 keys. UL Group IR combination lock, 1/4" steel door, 1/8" steel body, recessed full-length hinge. Overall dimensions 12"W x 16 1/2"H x 6 3/8"D.
<a href="#">489 160</a>	Wall cabinet - UL Group IR combination lock, 1/4" steel door, 1/8" steel body, recessed full-length hinge. Overall dimensions 12"W x 16 1/2"H x 6 3/8"D.
<a href="#">489 161</a>	SPECIAL ACCESS CONTROL CONTAINER - Size I - 12-1/8"H X 5-3/16"W X 8-1/4"D, or Size II - 15"W X 12"H X 10"D; gray; UL Group IR combination lock; Minimum 0.125" steel; Shielded Slot with saw tooth baffle; Padlock eyes for mounting; Recessed door; Continuous hinge with Nonremovable pin.
<a href="#">489 166</a>	SAFE, BURGLARY RESISTANT - Complies with Underwriters Laboratories Standard UL 687. Safes shall be listed by UL and bear the UL-approved label or shall be listed by other nationally recognized testing laboratory with a label and monitoring program
<a href="#">489 167</a>	Filing cabinet - Insulated vertical and lateral type filing cabinets complying with Underwriters laboratories Standard UL 72 for Insulated Record Containers or Insulated Filing Devices.
<a href="#">489 168</a>	Safe, insulated - Safes complying with with Underwriters laboratories Standard UL 72

for Insulated Record Containers or Insulated Filing Devices.

- [489 169](#) Depository - Safe type containers designed to allow fund or property to be deposited in the container through a hopper or baffled channel, without providing access to the interior of the container.
- [489 171](#) ADP safe - Insulated containers designed for storage of magnetic tapes and disks.
- [489 189](#) REPAIR PARTS - Include major or unique components of GSA-approved security equipment such as drawer heads, locking mechanisms, drawer handles, and other components that may require replacement during the life of the product, excluding combination locks.
- [489 190](#) FILING CABINET, UNINSULATED, SECURITY MAPS AND PLANS, GENERAL FILING AND STORAGE - In accordance with Federal Specification AA-F-363; Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry, and 10 man-minutes forced entry; Type III - Information Processing System Cabinet/COMSEC; Design K - Key change combination lock; gray
- [489 192](#) Room safes - Containers designed for storage of personal possessions in hotels, quarters or other temporary housing. Containers shall be specifically designed and advertised for this application. Doors may be fixed or removable. Locks may be combination key or card
- [489 98](#) International Products - Includes the following items for use only in international locations: Safes, Burglary Resistant (489-166); Filing Cabinets, Insulated (489-167); Safes, Insulated (489-168); Depository (489-169); ADP Safes (489-171); Room Safes (489-192)
- [489 99](#) Introduction of New Products (INP) - New or improved product(s) not currently available under any GSA contract that has the potential to provide more economical or efficient means for Federal agencies to accomplish their missions
- [71 1](#) Packaged Offices
- [71 100](#) Healthcare Exam Room
- [71 101](#) Healthcare Waiting Room
- [71 102](#) Healthcare Long Term Care Room
- [71 103](#) Healthcare Office
- [71 201](#) Cabinets - Freestanding or built-in type cabinets for kitchen or general purpose use. Also includes bathroom vanities. Cabinets comply with applicable performance and safety requirements.
- [71 202](#) Wall Units. - \*\*THIS SIN IS A SMALL BUSINESS SET-ASIDE. Wood construction with high-pressure laminate on all horizontal surfaces.
- [71 203](#) Loft Group. - \*\*THIS SIN IS A SMALL BUSINESS SET-ASIDE. Freestanding sleeping, studying and storage space system that allows a variety of configurations to suit specific room needs. Consists of a bed box and storage unit, as a minimum, and may include other items such as a writing surface, shelf, etc. Loft beds designed for household use meet ASTM F-1427 Standard Consumer Safety Specification for Bunk Beds and have guardrails and ladder. Loft beds designed for dormitory use by adults meet more stringent test requirements.
- [71 204](#) Dormitory, Quarters and Residential Caseloads and Beds. - Furniture pieces designed for household, quarters and dormitory use and made from a variety of materials including wood, metal, wood/metal, stone, and/or glass. Ready-to-assemble (RTA)

versions of the furniture are also available under this SIN. Residential dining room items include, but are not limited to, dining tables, china cabinets, buffets, sideboards, servers, huntboards, baker's racks, breakfronts, corner cupboards, etageres, and curio/display cabinets. Casegoods include, but are not limited to, dressers (low and conventional height), chests, bureaus, low boys, high boys, vanities (including companion benches), nightstands, mirrors, wardrobes, clothing centers, clothes trees, hall trees, armoires, entertainment units, TV stands/cabinets, bookcases, wall units, table desks, student desks, secretaries, home office type workstations, matching file cabinets, and tables, including occasional, guest, dinette, and game types. Bed items include, but are not limited to, headboards, bed frames, headboard and footboard sets, bed rails, captain's beds, bunk beds, wall beds, roll-about and other portable beds, bed accessories including bed steps, bedside stools and benches, blanket racks, underbed storage units, and safety rails. Mattresses and mattress/boxspring sets must only be purchased with an accompanying bed unit. Notes: Bunk beds designed for household use comply with ASTM F-1427 Standard Consumer Safety Specification for Bunk Beds and have guardrails and ladder. Bunk beds designed for dormitory use by adults meet more stringent test requirements. Customers are required to contact UNICOR (Federal Prison Industries, Inc.) when ordering mattresses without an accompanying bed unit. Wall beds comply with the applicable performance and safety requirements. Mattresses comply with applicable flammability requirements.

[71 205](#) Chairs--Dining Room, Desk, Side, Period Style and Bar Stools. - Desk chairs and side chairs that accompany the furniture in SINs 71-203 and 71-204; bar stools; period style chairs that are reproduction or adaptation chairs utilizing authentic designs from various cultures, such as European, American and Oriental. All chairs comply with applicable performance and flammability requirements where appropriate.

[71 206](#) Upholstered Seating. - Upholstered sofas, loveseats, lounge chairs, benches and ottomans, as well as motion furniture such as sleep sofas and recliners. Accessories include replacement covers and cushions, and mechanisms and parts for motion furniture. All items comply with applicable performance and flammability requirements where appropriate. In addition, sleep sofas comply with the appropriate design requirements.

[71 207](#) Casual and Outdoor Furniture and Accessories - Includes furniture and related products intended for use in sunrooms, Florida rooms and on porches, patios, lawns and other casual sitting area. Acceptable items include, but are not limited to, dining tables, umbrellas, chairs, rockers, porch swings/gliders, one, two, and three-seat lounges, matching coordinating throw pillows, serving carts, tea carts, and related accessories and accent pieces, including plant stands and waste receptacles. Units offered with upholstered cushions, sling seats, webbing, etc., shall comply with the flammability test and retesting requirements sections in purchase description 3FNE-98-573.

[71 295](#) Installation Services. - Installation services include delivery/inside delivery, coordination, unpacking, assembly/placement/leveling of product, removal of packing materials, and cleaning of product. Vendor may perform ancillary services that may be required in preparation for furniture installation on the job site.

[71 298](#) International Products. - This SIN covers items for use only in foreign destinations. Items awarded under this SIN comply with one of the other SIN descriptions in this Schedule. Contractors have certified that items awarded have been tested and found to comply with minimum safety standards for the countries in which the products are sold.

[71 299](#) Introduction of New Products/Services (INPS). Items awarded under this SIN are new or improved products/services that have the potential to provide more economical or

efficient means for Federal agencies to accomplish their missions. They may be products/services existing in the commercial market, which are being developed, improved, or not yet introduced to the Federal Government. They also may perform a new task, service, or procedure within the scope of the Federal Supply Schedule, not currently available under any GSA contract. Items under this SIN comply with applicable industry safety and performance standards.

- [71 301](#) Complete Daycare, Preschool and Classroom Solutions - Infant, toddler, and classroom furniture, storage units/cabinets, toys and accessories. Includes high chairs and chairs with a feeding tray, cribs, changing tables, room dividers, play yards and "child scale" lounge seating. Includes cribs and washable, wet-resistant crib mattresses. Includes accessories such as crib sheets, crib bumper pads and sleeping mats. Includes items for storage and organization of toys and supplies, such as stationary or mobile units with or without trays or tubs, shelf units, combination lockers, storage wall systems, and teachers' storage cabinets. Includes classroom chairs, student desks, student chair and desk units, student tables, tablet-arm chairs, pedestal strip tables and chairs, teacher's desks and chairs, storage units/cabinets, accessories and repair parts. Includes toys, preschool aids, learning centers, amusement devices, games, outdoor games, inflatable toys, crafts, hobbies. Includes design, related services and/or installation for any items under this SIN. Products meet applicable safety, performance and flammability requirements.
- [71 302](#) Training Room, Auditorium and Theater Furniture - Training room, auditorium furniture and theater furniture including floor mounted ascending tier seating. Accessories designed to be used with the offered furniture are acceptable. Products meet applicable safety, performance and flammability requirements.
- [71 304](#) Lecterns. - (\*Small Business Set-Aside.) Lecterns may be either floor or table top models.
- [71 305](#) Library Furniture. - (Small Business Set-Aside) Includes items such as shelving and bookcases (wood, wood grain materials, or wood frames with steel shelves, metal with adjustable shelves and doubled wall construction for sides); basic shelf units and add-on units (wall and/or island shelving) for various configurations; all types and sizes of wood and/or metal book trucks or returns with slant or flat shelves; wood or metal card catalog cabinets (case type and sectional type); wood or metal straight leg or sled base chair styles, with or without arms; wood or metal, rotary, charging and desk chairs without arms, with a foot rest (minimum 695 mm seat height required for rotary chairs); wood or metal charging/discharging modular units; book charging accessories such as charging equipment holders, trays, datebooks (excluding date stamps, pens, pencils, etc.); wood or metal exhibit cases or tables with glass or plastic hood or doors (units must have security locks); book, periodical, newspaper and literature display racks and/or shelving; media display racks, shelving or browser units (to hold compact discs, phonographs, video and audio cassettes, etc.); dictionary or atlas stands; reading tables (catalog reference, individual study, index and slope with matching benches); library carrels not exceeding 1015 mm in width, with or without task lights/power/communication.
- [71 306](#) Mail Sorting and Distribution Furniture. - (\*Small Business Set-Aside.) Includes tables, storage units, consoles, racks, workbenches and accessories designed to be used as interrelated components for the purpose of dumping, opening, reading, sorting, packing and/or wrapping both incoming and outgoing mail.
- [71 307](#) Mail Lock Boxes. - Mail lock boxes for apartments, dormitories, and post offices. Boxes may be for interior or exterior applications.
- [71 308](#) Cafeteria and Food Service Furniture. - (\*Small Business Set-Aside.) Includes items

such as cluster units (tables with attached seats), booth seating and tables, freestanding or pedestal mounted tables and seating specifically advertised for food services applications, and accessories. Cluster units are modular, chair/table or chair/bench settee/table units in an island or wall style configuration. Includes bench settees that fit onto the cluster frame. Accessories for booth seating include such items as divider screens (panels), end panels, booth partitions (galleries), wall panels, and hardware kits intended to serve as an integral part of the booth or attach to the frame of a unit. Accessories may include condiment stands, waste receptacles and tray returns. Items included under the SIN are easily identifiable by their physical design characteristics as intended specifically for use in cafeteria/dining areas. (Does not include park and recreational furniture or picnic tables.)

[71 309](#) Clothing Lockers and Locker Benches. - Includes clothing lockers, locker benches, and accessories. Locker benches are for use with clothing lockers. Excludes seat backs on locker benches.

[71 310](#) INDUSTRIAL AND INSTITUTIONAL FURNITURE: WORKBENCHES, WORKTABLES, WAREHOUSE STORAGE, AND HIGH DENSITY STORAGE CABINETS, MODULAR CABINETS. - Industrial Furniture - Includes such items as workbenches, worktables, workbench tops and legs, warehouse storage systems, and high-density storage cabinets. Shelves, cabinets, drawers, bins, trays, hangers, electrical fixtures and wiring fluid fixtures and plumbing, panels, footrests, casters and other accessories or components are acceptable. Work surfaces shall be designed for heavy-duty use. Specialized worksurfaces and workbenches such as tops designed for electrostatic discharge are acceptable. Accessories must specifically enhance the function of the bench or table. Except for standard electrical, air, and fluid fixtures, accessories must be specifically designed for use with the workbenches or worktables. Any electrical plugs and receptacles shall be certified to meet UL 498 with a NEMA configuration of 5-15 (P or R) or 6-15 (P or R). Cord sets shall meet UL 817. (Toolboxes and tool cabinets are not acceptable). Storage cabinets with interchangeable drawers, stationary or roll-out shelves or roll out trays, with or without locking hardware, interconnecting hardware, supporting bases, casters, and worktops. Cabinets may be sold as components or as complete, pre-configured units. Drawers may be with or without adjustable dividers, partitions, bins and trays. Adjustable dividers, partitions, bins or trays must be offered and must be specifically designed for use with the cabinet drawers. (Shelving, toolboxes and tool cabinets are not acceptable). Institutional Furniture - Institutional type furniture includes modular cabinetry, wall hung cabinets and shelves, base cabinets, support panels, and work surfaces. Furniture may be free standing or built in. Furniture may be specifically marketed for use in laboratories, breakrooms, mailrooms, administrative areas, storage rooms, and healthcare examination rooms. Ready to assemble or factory assembled furniture is acceptable. Wall hung cabinets and base cabinets shall meet all applicable test sections in ANSI/KCMA A161.1-2000. KCMA certification will be acceptable as evidence of conformance with KCMA requirements; However, KCMA certification is not required. Lateral file drawers shall meet all applicable test sections in the most current edition of ANSI/BIFMA X5.2. Vertical file drawers shall meet all applicable test sections in the most current edition of ANSI/BIFMA X5.3.

[71 311](#) Modular Electronic Equipment Cabinets. - Enclosure systems for modular electronic equipment includes cabinets, racks and cases for mounting electronic equipment and accessories such as fans, electrical supplies, doors, and covers. (Excludes ADP Furniture and Systems/Modular Furniture.)

[71 312](#) Hazardous Materials Storage. - (\*Small Business Set-Aside.) Storage cabinets for storage of flammable liquids, acids, corrosive liquids, and gas/oxygen cylinders and accessories. Includes accessories specifically designed to enhance the function of the units.

- [71 313](#) Museum Storage. - Includes museum storage cabinets and interior components. Museum storage cabinets are designed for the storage or display of museum or research specimens. Cabinets include specific features designed to improve their ability to protect specimens, such as door seals; non-off-gassing, chemical resistant coatings; and drawers, shelves, trays, and other interior components designed for safe handling and storage of specimens.
- [71 314](#) Hospital Beds and Accessories. - Includes items such as beds, hospital mattresses, overbed tables, and accessories. Beds may be fixed or adjustable height. All beds have adjustable positions. Beds may be electrically or manually adjustable. Accessories include safety sides and/or rails, bumpers, I.V. rods, casters, and bed end panels. Hospital mattresses are intended for special hospital and nursing home use such as orthopedic, burn and prevention of decubitus ulcers, and are designed to conform to adjustable positions peculiar to hospital beds. Mattresses meet the flammability test requirement of purchase description 3FNE 99-584. Overbed tables have casters and a high-pressure laminate top surface and are operative with the hospital beds under this SIN. Electric beds meet applicable industry and electrical standards.
- [71 315](#) Hospital Patient Room Furniture. - Furniture designed for hospital/long term patient care use. Includes chest of drawers, wardrobe (single or double door wardrobe with or without locks) cabinet, dresser, low dresser (credenza), desk, table desk, matching hutch top, guest table, mirror, modular components, night table, bedside chest, headboard, footboard, armoire, and medical supply storage cabinet. Includes accessory items relevant to the furniture (i.e., hangers, towel bars).
- [71 316](#) Hospital and Geriatric Chairs. - Includes high back chairs with arms, low back chairs with or without arms, and recliners. Recliners are designed to ensure easy use by patients. Features include a special seat height to allow easy transfer from wheelchair, straps to assist patient in movement of chair, wheels for easy movement, and leg rest to elevate patient's feet above head. Upholstery is nonabsorbent and stain resistant. Geriatric chairs are designed to conform to the characteristic afflictions of geriatric patients. Chairs facilitate sitting and rising without patient strain. Geriatric chairs consist of, but are not limited to the following features: 1) meal tray/table, 2) push bar, 3) casters and/or wheels with lock mechanism, 4) footrest or 5) rocking action.
- [71 317](#) Chair, Convalescent. - (\*Small Business Set-Aside.) High- and low-back models designed for use by physically impaired patients. High back minimum back height is 1090 mm (43"). Includes ottomans matching the convalescent chair, to complement a high or low back model. Includes chair models with rocking action. Chairs are for use by physically impaired patients, are sturdy and durable enough to withstand the added stress and strain imposed by such patients, and are designed for easy cleaning.
- [71 318](#) Patient Service Systems. - Medical head-walls or patient service columns for general patient care. Includes the following options: duplex outlets, night light, nurse call, telephone service or other electrical/communication devices, air and oxygen valves, blood pressure unit, overbed wall lights, air purification equipment, etc.
- [71 320](#) BOOKSTACK. - Metal cantilever style, single and double faced. Acceptable accessories include various types of shelves, dividers, end panels, back panels, book supports, canopy tops. (See SIN 71-305 for Library Furniture.) Bookstacks shall meet the performance test requirements in purchase description 3FNE 00-589.
- [71 321](#) Correctional Institution Furniture. - (SMALL BUSINESS SET ASIDE) Furniture and accessories specifically designed for use in correctional institutions. Items are manufactured using materials and construction methods suitable for the correctional environment. Items include single beds; bunk and bunkable beds; lockers; wardrobes; desks including models with attached seats; tables including models with attached seats; stools; benches; safety hooks; shelves; and accessories. Floor mounted and wall

mounted versions of items and accessories which include steps, ladders, safety rails, shelves and drawers for beds also included. Bunk beds, bunkable beds, and underbed drawers pass all applicable performance tests.

[71 393](#) Design Services. - Interior design services include a wide range of services, and are intended to assist users in project planning and/or execution. Design/layout services may include use of CAD/CAP systems. Agencies are required to define the scope of services they require, regardless of the dollar value of the project. Based on the scope defined by the agency, vendors will quote a number of design hours at the hourly contract rate.

[71 394](#) Reconfiguration Services. - Includes the range of services that are necessary to allow users to reconfigure the existing furniture within the on-site project area. Reconfiguration involves the disassembling and reassembling of components. Agencies must define the scope of services required.

[71 395](#) Installation Services. - Installation services include product delivery coordination, unpacking, inspection of product for shipping damage, placement, set-up, assembly and leveling of product in accordance with any recommended manufacturer instructions/guidelines to conform to agency requirements/final designs drawings, removal of packing materials, and cleaning of product. Agencies must fully define the scope of the required services under installation in order to facilitate realistic price quotations.

[71 398](#) International Products. - This SIN covers items for use only in foreign destinations. (Items that will be sold within the United States shall be offered under one of the other SINs, as appropriate.) Items offered under this SIN shall comply with one of the other SIN descriptions in this schedule, excluding any performance test requirements. Offerors shall identify the SINs that describe the items being offered by checking the categories below. Offerors shall certify that items offered have been tested and found to comply with minimum safety standards for the countries in which the products are sold.

Infant Furniture

Preschool, Classroom and Training Room Furniture and Auditorium and Theater

Seating Preschool and Classroom Storage

Lecterns

Library Furniture Mail Sorting and Distribution Furniture and accessories

Mail Lock Boxes Cafeteria and Food Service Furniture

Clothing Lockers, Locker Benches, and Accessories

Industrial and Institutional Furniture: Workbenches, Worktables, Warehouse Storage

Systems and High Density Storage Cabinets Modular Electronic Equipment

Enclosures Hazardous Materials Storage

Museum Storage

Hospital Beds and Accessories

Hospital Patient Room Furniture

Hospital and Geriatric Chairs

Chair, Convalescent

Patient Service Systems

Multiple Seating Units

Bookstacks

Correctional Institution Furniture

Shipboard Furniture

Design Services

Installation Services

Reconfiguration Services

Leased Furniture

Introduction of New Products (INP)

- [71 399](#) Introduction of New Services/Products (INSP). - A new or improved service or product--within the scope of the Federal Supply Schedule, but not currently available under any Federal Supply Schedule contract--that provides a new service, function, task, or attribute that may provide a more economical or efficient means for Federal agencies to accomplish their missions. It may significantly improve an existing service or product. It may be a service or product existing in the commercial market, but not yet introduced to the Federal Government.
- [71 99](#) Introduction to New Products
- [711 1](#) Furniture Systems and Workstation Clusters - A furniture system is a system of furniture components designed to provide a comprehensive office furniture environment through the ability to create a variety of workstation configurations and generally includes interconnecting, structural panels as central integrating elements or may employ rails, beams, frames, uprights, cores, or freestanding based elements. Panels/privacy screens, worksurfaces, overhead storage and shelving pedestals, filing, task management systems, lighting, electrical, wire management and similar items comprise furniture systems and workstation clusters. Workstation clusters are workstations generally arranged around a central point and which have a fixed footprint. Floor to ceiling demountable walls, partial height walls, and spine type walls which accommodate system furniture components are acceptable as part of or in conjunction with a furniture systems line. "Systems" consisting of traditional conventional furniture such as desks, returns, carrels, credenzas, etc. are not acceptable.
- [711 10](#) Executive Furniture Single Item Accent & Speciality Pieces - Stand up desks, drum tables, rent tables, breakfronts, curio cabinets, etageres, faithful 18th & 19th century reproduction occasional tables, console tables, sofa tables, chests & low boys.
- [711 11](#) Tables and Accessories - Includes tables with wood, wood veneer, plastic laminate or tops of other decorative material such as stone, glass & leather. Tops may be non-folding, folding, or flip-top tables, adjustable and non-adjustable height & other types of tables designed for executive & general office use such as conference, training, multi-purpose & occasional type tables. Also included are accessories such as wheel chair adapters, wire management capabilities, modesty panels and dollies & trucks for storing & transporting tables.
- [711 12](#) System Type Tables and Accessories - (SET ASIDE FOR SMALL BUSINESS) Comprised of interchangeable connecting tables of different shapes & sizes to form tables of various shapes used in conference/training room environments. Hardware is included. Also offered are accessories such as wheel chair adapters, wire management capabilities, modesty panels, dollies & trucks for storing & transporting tables.
- [711 13](#) Acoustical Partitions, Demountable Walls, and Accessories - Demountable walls are acoustical panels which extend from the floor to the ceiling and include a horizontal wiring raceway. Accessories include connectors, raceway covers, doors, door frames, ceiling & base rails, clerestories & electrical components.
- [711 14](#) Vertical Surface Attachment Panels and Accessories - (SMALL BUSINESS SET ASIDE) Panels designed for attachment to hard vertical surfaces such as walls and file cabinets to provide acoustical benefits.
- [711 15](#) Acoustical Wall Treatments - Wall treatments consisting of acoustical material designed for attachment to walls to provide acoustical properties.
- [711 16](#) Upholstered Seating - Includes sofas, loveseats, lounge chairs, sleep sofas and recliners. Benches & ottomans complementing the matching sofa, loveseat or chair are also offered. Accessories include replacement cushions & covers.

- [711 17](#) Multiple Seating - Includes individual seating units with or without attached tables combining mutually structural support members, such as leg, side frame or side panel, or units supported on a common beam/platform or mechanically attached.
- [711 18](#) Multipurpose Seating - Rotary chairs that utilize a pedestal base with casters. Stationary chairs that utilize a sled base, cantilever, "O" frame, or straight leg style. Ergonomically designed chairs that are rotary, have seat and/or back tilt, pneumatic seat height adjustment. Rotary drafting-style chairs with foot ring or footrest, with or without arms, with glides or casters.
- [711 19](#) Stacking Chairs and Dollies or Trucks Designed to Support Stacking Chairs
- [711 2](#) Worksurfaces, Workstations, Computer Furniture and Accessories - Includes items such as worksurfaces, workstations, workstation modules, moveable workstations, data or task stations, PC workcenters, desks, credenzas, computer tables, printer stands, pedestals, enclosure systems for computer equipment, computer consoles and computer stackers. Includes related accessories such as: L-returns, bridge units, worksurface and table extensions, overhead storage modules and shelves, desk carrels, modesty panels, above the worksurface privacy screens, terminal tilt platforms, turntables, tackboards, vertical CPU holders or stands, keyboard or pencil/center drawers, casters, locks, monitor support units, wrist rest, grommets, wire management, data & electrical components.
- [711 20](#) Display and Communication Boards, Wall Stations, and Accessories - Includes all types of bulletin boards, changeable letter boards, marker boards, control boards, combination boards, presentation systems, sliding multi-boards, communication centers, wall stations, portable boards & kits. Wall-mounted boards are complete and ready for mounting, hardware included.
- [711 3](#) Filing and Storage Cabinets, Shelves, Mobile Carts, Dollies, Racks & Accessories - Includes items such as vertical & lateral filing cabinets, multimedia storage cabinets, storage & shelving systems, wardrobes, overfiles, combination storage & wardrobe units, hybrid type storage units, open cabinet shells, open shelves, shelf files, bookcases, map & plan files, racks for hanging files or tape seals, mobile carts & dollies for the transportation of printouts/tapes/cassettes. Desktop filing systems are not included.
- [711 4](#) Blueprint Filing Cabinets - (SMALL BUSINESS SET ASIDE) Cabinets designed for the filing & storage of blueprints.
- [711 5](#) Card Files - Wood or metal file cabinets designed for the filing & storage of cards excluding library cards.
- [711 6](#) Form Files - Cabinets designed for the filing & selection of forms.
- [711 7](#) High Density, Movable Filing Systems and Accessories - Electrical, mechanical, or manual movable shelf or rack filing systems consisting of shelves, racks, end panels, carriages, and tracks to accommodate items such as letter and legal files, books, binders, catalogs, X-Rays, EDP tapes, disk packs, printouts, tabulating cards, or cartridges. Includes filing system accessories. High-density movable filing systems are required to meet the requirements of Purchase Description 3FNE-90-504B.
- [711 8](#) Executive Office Furniture - Includes desks, table desks, reception stations, workstations in "L", "U" and other configurations which include units such as desks, desk attachments, bridge units, corner units, kneehole credenzas, & peninsulas. Freestanding credenzas, credenzas with attached overhead storage unit/hutch & file cabinets (lateral & vertical). Bookcases, computer support furniture such as printer stands & VDT tables, work & console tables. Occasional tables such as end, coffee & lamp tables. Accessories designed to be used with above furniture such as wire

management grommets, channels & tracks, stationary organizers, stationary inserts, additional drawer partitions, felt center drawer liners, wastebaskets, tackboards, tasklights & shelf dividers.

- [711 9](#) Executive Conference Room Furniture, Coordinated Tables, Case Pieces and Accessories - Includes items such as audio visual cabinets, storage credenzas with doors, buffet servers, visual boards, presentation rails, phone stands, side boards, computer cabinets, utility carts & lecterns. Accessories designed to be used with the above furniture such as wire management grommets, channels & tracks organizer, additional drawer partitions, felt drawer liners, wastebaskets, tackboards, task lights & shelf dividers.
- [711 92](#) Remanufactured Furniture - (SMALL BUSINESS SET ASIDE) Furniture which has been remanufactured to a "like new" condition. Does not include rehabilitated, restored, or refinished furniture. Remanufactured furniture shall meet the same standards specified for new furniture.
- [711 93](#) Reconfiguration and Relocation Services - For furniture systems to include the range of services that are necessary to allow users to reconfigure up to a maximum of 200 workstations within the existing on-site project area. Reconfiguration involved in the disassembling & reassembling of components & may involve minor or major changes within the existing workstation/furniture layout plan. Agencies must define the scope of services required. This SIN may only be used with the purchase of new products under SIN 711 1.
- [711 94](#) Design/Layout Services - Interior design services include a wide range of services, and are intended to assist users in project or office planning. Service may include basic conversion of generic workstation & floor plans to brand-specific or comprehensive design services including development of adjacencies, workstation design & floor plans. Design/layout services may include use of CAD/CAP systems for development of workstations, component lists for order placement, development of electrical, phone & cable plans & generation of color & installation plans. Agencies are required to define the scope of services they require, regardless of the dollar value of the project. Based on the scope defined by the agency, vendors will quote a number of design hours at the hourly contract rate. This SIN may not be used to develop generic workstation designs for procurement purposes (generic).
- [711 95](#) Installation Services - Installation services include product delivery coordination, unpacking, inspection of product for shipping damage, placement, set-up, assembly and leveling of product. Agencies will negotiate installation on a project-by-project basis, requesting an installation price quote for each project regardless of dollar value. Agencies must fully define the scope required services under installation in order to facilitate realistic price quotes.
- [711 96](#) Leased Furniture Systems
- [711 97](#) Rental Furniture
- [711 98](#) International Products - This SIN covers items for use only in foreign destinations.
- [711 99](#) Introduction of New Products - A new or improved product not currently available under any GSA contract that has the potential to provide more economical or efficient means for Federal Agencies. It may be a product existing in the commercial market not yet introduced to the Federal Government or a product that has been improved. As determined by the Government, there are no similar items available under an existing SIN.
- [7110-00-149-2004](#) Caster Base – For Class 6 legal files, Gray

- [7110-01-015-2855](#) Caster Base– For Class 6 legal files, Black
- [7110-01-015-2856](#) Caster Base– For Class 6 legal files, Parchment
- [7110-01-475-8813](#) VAULT DOORS - Class 5-V - Vault Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design B - No exterior hardware; Type IIR - right opening swing, without optical device; Style K - Key change combination lock; gray
- [7110-01-475-9592](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design B - No exterior hardware; Type IIIR - Double leaf door; right opening swing active leaf, with optical device; Style K - Key change combination lock; gray
- [7110-01-475-9594](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design B - No exterior hardware; Type IR - Right opening swing, with optical device; Style K - Key change combination lock; gray
- [7110-01-475-9599](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design B - No exterior hardware; Type IL - Left opening swing, with optical device; Style K - Key change combination lock; gray
- [7110-01-475-9600](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry; and 10-man-minutes forced entry; Design B - No exterior hardware; Type IIL - Left opening swing, without optical device; Style K - Key change combination lock; gray
- [7110-01-476-0139](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design B - No exterior hardware; Type IIR - Right opening swing, without optical device; Style K - Key change combination lock; gray

Cabinet, Security, Weapons Storage – in accordance with the latest revision of Federal Specification AA-C-2859

Category	Description
<a href="#">7110-01-476-2954</a>	Weapons Container - Class 5 - Resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Style B - without channel base assembly; Design K - Key change combination lock; gray

Doors, Vault, Security (In accordance with the latest revision of Federal Specification AA-D-600D. Refer to the ""Ordering Checklist"" for important ordering information)

Category	Description
<a href="#">7110-00-935-1882</a>	VAULT DOORS - Class 5-V - Vault Door - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry - Type IL - with optical device, left-hand swing, style K, key-change combination lock (gray)
<a href="#">7110-00-935-1883</a>	VAULT DOORS - Class 5-V - Vault Door - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry - Type IIL - without optical device, left-hand swing, style K, key-change combination lock (gray)
<a href="#">7110-00-935-1885</a>	VAULT DOORS - Class 5-V - Vault Door - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry - Type IR - with optical device, right-hand swing, style K, key-change combination lock (gray)
<a href="#">7110-00-935-1886</a>	VAULT DOORS - Class 5-V - Vault Door - Resistant to 20 man-hours surreptitious

entry, 30 man-minutes covert entry and 10 man-minutes forced entry - Type IIR - without optical device, right-hand swing, style K, key-change combination lock (gray)

[7110-01-475-8140](#) VAULT DOORS - Class 5-V - Vault Door resistant to 20-man-hours surreptitious(formerly SIN 489-180) entry, 30-man-minutes covert entry and 10-man-minutes forced entry; Design B - No exterior hardware; Type IR - right opening swing, with optical device; Style K - Key change combination lock; gray

[7110-01-475-8815](#) VAULT DOORS - Class 5-V - Vault Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design B - No exterior hardware; Type IIR - Double leaf door; right opening swing active leaf, with optical device; Style K - Key change combination lock; gray

[7110-01-475-8816](#) VAULT DOORS - Class 5-V - Vault Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design B - No exterior hardware; Type IL - Left opening swing, with optical device; Style K - Key change combination lock; gray

[7110-01-475-8821](#) VAULT DOOR - Class 5-V - Vault Door resistant to 20-man-hours surreptitious (entry, 30 man-minutes covert entry, and 10-man-minutes forced entry; Design B - No exterior hardware; Type IIL - Left opening swing, without optical device; Style K - Key change combination lock; gray

[7110-01-475-9590](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design S - Single lock; Type IIR - Double leaf door; right opening swing active leaf, with optical device; Style K - Key change combination lock; gray

[7110-01-475-9593](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design S - Single lock; Type IL - Left hand swing, with optical device; Style K - Key change combination lock; gray

[7110-01-475-9595](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design S - Single lock; Type IIR - Right hand swing, without optical device; Style K - Key change combination lock; gray

[7110-01-475-9596](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design S - Single lock; Type IR - Right hand swing, with optical device; Style K - Key change combination lock; gray

[7110-01-475-9598](#) ARMORY VAULT DOORS - Class 5-A - Armory Door resistant to 20-man-hours surreptitious entry, 30-man-minutes covert entry, and 10-man-minutes forced entry; Design S - Single lock; Type IIL - Left hand swing, without optical device; Style K - Key change combination lock; gray

Filing Cabinets (Steel, Legal and Letter Size, Uninsulated, Security) in accordance with the latest revision of Federal Specification AA-F-358

Category	Description
<a href="#">7110-00-082-6111</a>	Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 and-minutes forced entry. - Size I - Two drawer, legal size, style K, key-change combination lock. (Gray)
<a href="#">7110-00-082-6112</a>	Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 and-minutes forced entry. - Size III - four drawer, legal size, style K, key-change combination lock. (Gray)

- [7110-00-919-9193](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size V - five drawer, legal size, style K, key-change combination lock. (Gray)
- [7110-00-919-9213](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VI - two drawer, special size, special purpose, style K, key-change combination lock. (Gray)
- [7110-00-919-9214](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VII - one drawer, special size, style K, key-change combination lock.(Gray)
- [7110-00-919-9306](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VIII - one drawer, special size, with two caring handles and a protective shield for lock, special purpose, style K, key-change combination lock. (Gray)
- [7110-00-920-9342](#) Filing Cabinet - Class 6-Resistant to 20 man-hours surreptitious entry and 30 man-minutes covert entry. Size I - Two drawer, legal size, style K, key-change combination lock. (gray)
- [7110-01-012-8739](#) Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Size I - Two drawer, legal size, style K, key-change combination lock. (Parchment)
- [7110-01-012-8740](#) Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Size III - four drawer, legal size, style K, key-change combination lock. (Black)
- [7110-01-012-8741](#) Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Size III - four drawer, legal size, style K, key-change combination lock. (Parchment)
- [7110-01-015-2850](#) Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Size I Two drawer, legal size, style K, key-change combination lock. (Black)
- [7110-01-015-2851](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VIII - one drawer, special size, with two caring handles and a protective3 shield for lock, special purpose, style K, key-change combination lock. (Black)
- [7110-01-015-2852](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VIII - one drawer, special size, with two caring handles and a protective shield for lock, special purpose, style K, key-change combination lock. (Parchment)
- [7110-01-015-3196](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VII - one drawer, special size, style K, key-change combination lock. (Black)
- [7110-01-015-4266](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size III - four drawer, legal size, style K, key-change combination lock. (Black)
- [7110-01-015-4638](#) Filing Cabinet - Class 6-Resistant to 20 man-hours surreptitious entry and 30 man-minutes covert entry. Size I - Two drawer, legal size, style K, key-change combination lock. (black)
- [7110-01-015-4639](#) Filing Cabinet - Class 6-Resistant to 20 man-hours surreptitious entry and 30 man-

minutes covert entry. Size I - Two drawer, legal size, style K, key-change combination lock. (Parchment)

- [7110-01-015-6099](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size V - five drawer, legal size, style K, key-change combination lock. (Black)
- [7110-01-015-6100](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size V - five drawer, legal size, style K, key-change combination lock. (Parchment)
- [7110-01-015-6101](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VI - two drawer, special size, special purpose, style K, key-change combination lock. (Parchment)
- [7110-01-016-5802](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VI - two drawer, special size, special purpose size, style K, key-change combination lock. (Black)
- [7110-01-018-4301](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VII - one drawer, special size, style K, key-change combination lock. (Parchment)
- [7110-01-029-0389](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size V - five drawers, legal size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (gray)
- [7110-01-029-5767](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size I - two drawers, legal size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (gray)
- [7110-01-029-8055](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size I - two drawers, legal size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (black)
- [7110-01-029-8058](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size V - five drawers, legal size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (Parchment)
- [7110-01-029-8059](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size V - five drawers, legal size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (black)
- [7110-01-030-9009](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size I - two drawers, legal size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (Parchment)
- [7110-01-050-6060](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size III - four drawer, legal size, style K, key-change combination lock. (Parchment)
- [7110-01-264-8483](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VIII - one drawer, special size with two carrying handles and a protective shield around locks, special purpose, style K, key-change combination lock, design DL, two locks in one drawer and control all drawers. (gray)
- [7110-01-309-1934](#) Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 and-minutes forced entry. Size I - Two drawer, legal size, style K, key-change combination lock. (Walnut wood grain)

- [7110-01-309-1936](#) Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 and-minutes forced entry. Size III - four drawer, legal size, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1956](#) Filing Cabinet - Class 6-Resistant to 20 man-hours surreptitious entry and 30 man-minutes covert entry. Size I - Two drawer, legal size, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1957](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size II - four drawer, letter size, style K, key-change combination lock. (Gray)
- [7110-01-309-1958](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size II - four drawer, letter size, style K, key-change combination lock. (Black)
- [7110-01-309-1959](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size II - four drawer, letter size, style K, key-change combination lock. (Parchment)
- [7110-01-309-1960](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size II - four drawer, letter size, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1961](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size III - four drawer, legal size, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1962](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size IV - five drawer, letter size, style K, key-change combination lock. (Gray)
- [7110-01-309-1963](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size IV - five drawer, letter size, style K, key-change combination lock. (Black)
- [7110-01-309-1964](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size IV - five drawer, letter size, style K, key-change combination lock. (Parchment)
- [7110-01-309-1965](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size IV - five drawer, letter size, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1966](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size V - five drawer, legal size, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1967](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VI - two drawer, special size, special purpose, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1968](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VII - one drawer, special size, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1969](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VIII - one drawer, special size, with two carrying handles and a protective shield for lock, special purpose, style K, key-change combination lock. (Walnut wood grain)

- [7110-01-309-1970](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size X - two drawers, letter size, style K, key-change combination lock. (Gray)
- [7110-01-309-1971](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size X - two drawers, letter size, style K, key-change combination lock. (Black)
- [7110-01-309-1972](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size X - two drawers, letter size, style K, key-change combination lock. (Parchment)
- [7110-01-309-1973](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size X - two drawers, letter size, style K, key-change combination lock. (Walnut wood grain)
- [7110-01-309-1988](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size I - two drawers, legal size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (Walnut wood grain)
- [7110-01-309-1994](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size IV - five drawers, letter size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (gray)
- [7110-01-309-1995](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size IV - five drawers, letter size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (black)
- [7110-01-309-1996](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size IV - five drawers, letter size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (Parchment)
- [7110-01-309-1997](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size IV - five drawers, letter size steel K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (Walnut wood grain)
- [7110-01-309-2002](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size V - five drawers, legal size style K, key-change combination lock, design ML independently locked drawers, one lock per drawer. (Walnut wood grain)
- [7110-01-309-2011](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VIII - one drawer, special size with two carrying handles and a protective shield around locks, special purpose, style K, key-change combination lock, design DL, two locks in one drawer and control all drawers. (black)
- [7110-01-309-2012](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VIII - one drawer, special size with two carrying handles and a protective shield around locks, special purpose, style K, key-change combination lock, design DL, two locks in one drawer and control all drawers. (Parchment)
- [7110-01-309-2013](#) Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry. Size VIII - one drawer, special size with two carrying handles and a protective shield around locks, special purpose, style K, key-change combination

lock, design DL, two locks in one drawer and control all drawers. (Walnut wood grain)

Filing Cabinets (Uninsulated, security maps and plans, general filing and storage (In accordance with the latest version of Federal specification AA-F-363))

Category	Description
<a href="#">7110-00-928-8689</a>	Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Type II, Size II without map and plan hangers and suspension, 43 1/2"H x 35 3/4"W x 26 3/4"D, design K, key-change combination lock. (gray)
<a href="#">7110-00-931-0770</a>	Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Type II, Size I without map and plan hangers and suspension, 51 1/4"H x 22"W x 39"D, design K, key-change combination lock. (gray)
<a href="#">7110-01-024-5958</a>	Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry and 30 man-minutes covert entry. Type II - Size I, without map and plan hangers and suspension 57 1/2"H x 22"W x 38"D, design K, key-change combination lock. (parchment)
<a href="#">7110-01-309-2032</a>	Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Type II, Size IV without map and plan hangers and suspension, 28 1/2"H x 23 1/4"W x 24"D, maximum design K, key-change combination lock. (gray)
<a href="#">7110-01-309-2033</a>	Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Type II, Size IV without map and plan hangers and suspension, 28 1/2"H x 23 1/4"W x 24"D, maximum design K, key-change combination lock. (black)

Filing Cabinets (Uninsulated, security maps and plans, general filing and storage (In accordance with the latest version of Federal specification AA-F-363))

Category	Description
<a href="#">7110-00-931-0771</a>	Filing Cabinet - Class 6 - Resistant to 20 man-hours surreptitious entry and 30 man-minutes covert entry. Type II - Size I, without map and plan hangers and suspension 57 1/2"H x 22"W x 38"D, design K, key-change combination lock. (gray)
<a href="#">7110-01-017-3546</a>	Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Type II, Size I without map and plan hangers and suspension, 51 1/4"H x 22"W x 39"D, design K, key-change combination lock. (black)
<a href="#">7110-01-017-3547</a>	Filing Cabinet - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry. Type II, Size I without map and plan hangers and suspension, 51 1/4"H x 22"W x 39"D, design K, key-change combination lock. (Parchment)

MISCELLANEOUS FURNITURE - Security Filing Cabinets, Safes, Vault Doors, Map And Plan Files And Accessories, Comsec Containers And Special Access Control Containers

Category	Description
<a href="#">7110-00-920-9343</a>	Filing Cabinets (Steel, Legal and Letter Size, Uninsulated, Security) in accordance with the latest revision of Federal Specification AA-F-358 - Class 6 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry - Size III - four drawer, legal size, style K, key-change combination lock. (Gray)
<a href="#">7110-01-019-0408</a>	Filing Cabinets (Uninsulated, security maps and plans, general filing and storage (In

accordance with the latest version of Federal specification AA-F-363) - Class 6 - Resistant to 20 man-hours surreptitious entry and 30 man-minutes covert entry - Type II - Size I, without map and plan hangers and suspension 57 1/2"H x 22"W x 38 D, design K, key-change combination lock. (Black)

[7110-01-309-2034](#) Filing Cabinets (Uniinsulated, security maps and plans, general filing and storage (In accordance with the latest version of Federal specification AA-F-363) - Class 5 - Resistant to 20 man-hours surreptitious entry, 30 man-minutes covert entry and 10 man-minutes forced entry - Type II, Size IV without map and plan hangers and suspension, 28 1/2"H x 23 1/4"W x 24"D, maximum design K, key-change combination lock. (Parchment)